Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Withdrawn and Previously presented)   A wireless communication terminal, which performs wireless communication using each of a first communication method and a second communication method and enables to be in an idle state with both methods, comprising:

a setting section that sets a suspend time for detecting an incoming call from a base station using the first communication method subsequent to completion of communication with the base station using the first communication method; and

a determination section that determines a cause of the completion of communication with the base station,

wherein the setting section sets the suspend time based on the cause of completion of communication determined by the determination section.

2. (Withdrawn) The wireless communication terminal according to claim 1,

wherein the setting section does not set the suspend time except when the cause of the completion of communication is interruption of wireless communication.

3. (Currently amended) A wireless communication terminal, which performs wireless communication using each of a first communication ~~method~~ protocol and a second communication ~~method~~ protocol and enables to be in an idle state with both ~~methods~~ protocols, comprising:

Appl. No. 10/538,165
Amdt. Dated October 3, 2008
Reply to Office Action of April 8, 2008

Attorney Docket No. 81887.0124
Customer No.: 26021

a setting section that sets a suspend time for detecting an incoming call from a base station using the first communication ~~method~~ protocol subsequent to completion of communication with the base station using the first communication ~~method~~ protocol;

a first changing section that changes a monitoring timing of the second communication ~~method~~ protocol; and

a second changing section that changes a monitoring timing of the first communication ~~method~~ protocol by communicating with the base station when the first changing section changes the monitoring timing of the second communication ~~method~~ protocol,

wherein the setting section does not set the suspend time ~~in a case of~~ after communicating with the base station by the second changing section.

4. (Currently amended) The wireless communication terminal according to ~~any one of claims 1 to~~ claim 3,

wherein the first communication ~~method~~ protocol is a ~~1xEVDO~~ 1x Evolution Data Only system, and the second communication ~~method~~ protocol is a ~~cdma2000~~ Code Division Multiple Access 2000 1x system.

5. (Withdrawn and Previously presented) A wireless communication terminal control method which performs wireless communication using each of a first communication method and a second communication method and enables to be in an idle state with both methods, the method comprising the steps of:

determining a cause of completion of communication with a base station using the first communication method; and

setting a suspend time for detecting an incoming call from the base station using the first communication method subsequent to the completion of

communication with the base station using the first communication method, based on the determined cause of the completion of communication.

6. (Withdrawn)　The wireless communication terminal control method according to claim 5,

wherein the suspend time is not set except when the cause of completion of communication is interruption of wireless communication.

7. (Currently amended) A wireless communication terminal control method which performs wireless communication using each of a first communication ~~method~~ protocol and a second communication ~~method~~ protocol and enables to be in an idle state with both ~~methods~~ protocols, comprising:

~~wherein when~~ changing a monitoring timing of the first communication ~~method~~ protocol ~~is changed~~ by communicating with a base station based on a change of a monitoring timing of the second communication ~~method~~ protocol, and not setting a suspend time for detecting an incoming call from the base station using the first communication ~~method~~ protocol ~~subsequent to completion of communication~~ after communicating with the base station ~~is not set~~.

8. (Currently amended)　The wireless communication terminal control method according to ~~any one of claims 5 to~~ claim 7,

wherein the first communication ~~method~~ protocol is a ~~1xEVDO~~ 1x Evolution Data Only system, and the second communication ~~method~~ protocol is a ~~cdma2000~~ Code Division Multiple Access 2000 1x system.

9. (Withdrawn and Previously presented)　The wireless communication terminal according to claim 1,

\\\LA - 081887/000124 - 383586 v9

wherein the setting section sets the suspend time for zero except when the cause of the completion of communication is interruption of wireless communication.

10.   (Withdrawn and Previously presented)   The wireless communication terminal according to claim 5,

wherein the suspend time is set for zero except when the cause of the completion of communication is interruption of wireless communication.

\\\LA - 081887/000124 - 383586 v9